


4-4-0 Steam Locomotive



Santa Fe





DCC Ready with Sound

ATSF #0126 ATH-2677 ATH-2689 ATSF #0127 ATH-2678 ATH-2690

Union Pacific*




Era: 1869+

UP #119

DCC Ready ATH-2679

with Sound ATH-2691

Pennsylvania Railroad



Era: 1920s+

DCC Ready with Sound

PRR #1035 ATH-2680 ATH-2692 PRR #1223 ATH-2681 ATH-2693

\$229.99 w/o SOUND I \$329.99 w/ Fonami SOUND



†Items listed are subject to cancellation if pre-order minimum production quantities are not met.

Orders Due: 02.28.25 ETA: SEPTEMBER 2026








4-4-0 Steam Locomotive



Grand Trunk Railway





GTR #1150 GTR #2321

DCC Ready with Sound ATH-2682 ATH-2683

ATH-2694 ATH-2695

Frisco





SLSF #94 SLSF #96 ATH-2684 ATH-2685 ATH-2696 ATH-2697

Chicago and North Western*



DCC Ready with Sound ATH-2698

CNW #269 ATH-2686 CNW #270 ATH-2687 ATH-2699

\$229.99 w/o SOUND I \$329.99 w/ Fonami SOUND

†Items listed are subject to cancellation if pre-order minimum production quantities are not met.

Orders Due: 02.28.25 ETA: SEPTEMBER 2026

Athearn





* Union Pacific Licensed Product


Era: 1910s-1940s



4-4-0 Steam Locomotive



Painted, Unlettered



DCC Ready with Sound ATH-2700

ATH-2688 Painted, Unlettered

All Road Names

SOUND-EQUIPPED MODELS ALSO FEATURE

- · Onboard DCC decoder with SoundTraxx Econami sound
- Sound units operate in both DC and DCC
- · Full DCC functions available when operated in DCC mode
- All functions NMRA compatible in DCC mode
- Precision slow speed control
- Program a multiple unit (MU) lashup with lead unit only horn, bell, and lights
- Many functions can be altered via Configuration Value (CV) changes
- · CV chart included in the box

PROTOTYPE SPECIFIC INFORMATION

4-4-0 is the Whyte notation of a type of steam loco with a 4-wheel lead truck, 4 driving wheels, and no trailing wheels. Such a wheel arrangement was popular worldwide, perhaps most famously in the United States between 1860 and 1890, where it was extremely popular. Such engines were well-suited to mixed service over relatively rough track. By 1890 they had largely fallen out of favor, having been superseded by 4-4-2, 2-6-0, and 2-6-2 types to varying degrees.

4-4-0 STEAM LOCOMOTIVE FEATURES:

- · See-through cab windows
- · Separately applied wire-form details
- · Smoke stack
- Boiler mounted bell
- · Bi-directional LED constant lighting so headlight brightness remains
- 5-pole motor with precision-machined flywheels and multi-link drive train for trouble-free operation
- Traction tires on two drivers for more pulling power
- · Reliable electrical pickup from all drive wheels (except traction tire wheels) and tender wheels
- · Heavy die-cast frame for greater traction and more pulling power
- McHenry® operating scale knuckle couplers
- DCC Ready 21 pin plug
- · Nickel plated, blackened machined wheels machined metal wheels with RP25 contours operate on all popular brand of track
- Fully-assembled and ready-to-run out of the box
- · Painted and printed for realistic decoration
- · Highly-detailed, injection-molded body
- · Minimum radius: 18"
- Recommended radius: 22"



\$229.99 w/o SOUND I \$329.99 w/ Frami SOUND

†Items listed are subject to cancellation if pre-order minimum production quantities are not met.

Orders Due: 02.28.25 ETA: SEPTEMBER 2026





Your Local Retaile

1.800.338.4639